



# City of Prince Rupert

## MINUTES

For the **COMMITTEE OF THE WHOLE MEETING** of Council held on June 26<sup>th</sup>, 2017 immediately following the Public Hearing scheduled to commence at 7:00 p.m. in the Council Chambers of City Hall, 424-3<sup>rd</sup> Avenue West, Prince Rupert, B.C.

**PRESENT:** Councillor B. Mirau, Acting Mayor  
Councillor B. Cunningham  
Councillor W. Niesh  
Councillor G. Randhawa  
Councillor N. Kinney  
Councillor J. Thorkelson

**ABSENT:** Mayor L. Brain

**STAFF:** R. Long, City Manager  
C. Bomben, Chief Financial Officer  
R. Mandryk, Corporate Administrator  
Z. Krekic, City Planner  
C. von Schilling, Community Planner

### 1. CALL TO ORDER

The Acting Mayor called the Committee of the Whole Meeting to order at 7:08 p.m. and read the Statement of the Chair on the Procedures for the Committee of the Whole Meeting.

### 2. ADOPTION OF AGENDA

MOVED by Councillor Kinney and seconded by Councillor Cunningham that the Agenda for the Committee of the Whole Meeting of June 26<sup>th</sup>, 2017 be adopted as circulated.

CARRIED

### 3. PETITIONS AND DELEGATIONS

a) **Luanne Roth, North Coast Energy Campaigner, with the T. Buck Suzuki Environmental Foundation – Re: Aurora LNG Project Air Quality.**

Ms. Roth presented to Council.

### 4. QUESTION PERIOD FROM THE PUBLIC

a) **For Public Comment on the 2016 Annual Report.**

Larry Golden, 1601 2<sup>nd</sup> Avenue West, made several comments and asked questions surrounding finance and the Annual Report.

**5. REPORTS, QUESTIONS AND INQUIRIES FROM MEMBERS OF COUNCIL**

**6. ADJOURNMENT TO RECONVENE REGULAR COUNCIL MEETING**

MOVED by Councillor Kinney and seconded by Councillor Niesh that the meeting be adjourned at 7:31 p.m.

CARRIED

Confirmed:

These meeting Minutes were adopted by Council. To view signed original, visit City Hall Administration or contact via phone 250-627-0934 or e-mail [cityhall@princerupert.ca](mailto:cityhall@princerupert.ca)

---

ACTING MAYOR

Certified Correct:

---

CORPORATE ADMINISTRATOR